


Sto Therm[®] ci System Termination at Grade over Wood Frame

Detail No.: 2.10

Date: January 2015



Notes:

- 1] Terminate system a minimum of 8" (200mm) above grade or as required by code.
- 2] Provide ultra-high impact resistance (Sto Detail 1.00b) to a minimum height of 6'-0" (1.8m) above finished grade at areas accessible to pedestrian traffic and other areas exposed to abnormal stress or impact.
- 3] Additional details for installation of StoGuard are available in Sto Detail Series 20.xx.
- 4] Alternate starter tracks and base termination details are presented in details 2.12 an 2.13
- 5] Materials not labeled as Sto products are by others.
- 6] Refer to Sto specifications and product bulletins for detailed information on substrates and Sto material options.

IMPORTANT: Components not identified as Sto are furnished by other manufacturers and are not necessarily installed by trades who install the Sto products. Refer to project specific contract documents.

Attention www.stocorp.com

Sto products are intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. They should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or sessemblies, or for other construction activities beyond Sto's control. Improper use of Sto products or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to Sto products, and to the structure of the building or its components. STO CORP DISCLAIMS ALL WARRANTIES EXPRESS OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME. For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, www.stocorp.com.